106.1 Metal (Inorganics) Constituents in Natural Matrices (liquid and solid forms)

| Also see: | 105.13 Lead in Paint, Dust, Soil |
|-----------|--|
| | 108.3 Sulfur in Fossil Fuels |
| | 108.6 Fossil Fuel |
| | 109.2 Organic Constituents |
| | 111.7 Soils, Sediments, and Sludges |
| | 111.5 Rocks and Minerals |
| | 111.4 Clay |
| | 111.2 Ores |
| | 110.4 Agricultural Materials |
| | 110.3 USA/Canada Collaborative Materials |
| | 110.1 Foods and Beverages |

These SRMs and RM are for analysis of materials of health or environmental interest. [Also see Categories 105 and 111.]

Technical Contact: robert.greenberg@nist.gov

PLEASE NOTE: The tables are presented to facilitate comparisons among a family of materials to help customers select the best SRM for their needs. For specific values and uncertainties, the certificate is the only official source.

| SRM | Description | Unit Size | Elemental Composition |
|-------|--|------------|---|
| | | | |
| | LIQUIDS | | |
| 1640 | Trace Elements in Natural Water | 250 mL | 17 elements certified 10 reference values |
| 1641d | Mercury in Water | 10 x 10 mL | 1 element certified |
| 1643e | Trace Elements in Water | 250 mL | 29 elements certified |
| 2694a | Simulated Rainwater | | Discontinued |
| | SOLIDS | | |
| 1646a | Estuarine Sediment | 70 g | 20 elements certified |
| 1648 | Urban Particulate Matter | 2 g | 14 elements certified |
| 1944 | New York/New Jersey Waterway Sediment | 50 g | 9 elements certified |
| | (Note: 102 Organic Constituents, See Category 109) | | 19 reference values |
| 1946 | Lake Superior Fish Tissue (Frozen) | 35 g | 3 elements certified |
| | (Note: 84 Organic Constituents, See Category 109) | | 9 reference values |

| | 2385 | Slurried Spinach | 70 g | 7 elements certified |
|----|-------|---|-----------------------------|--|
| | 2387 | Peanut Butter | 170 g | 9 elements certified |
| | 0500 | Trace Flores stein ledger Post (Newsigel CO mar/led Local) | 0 | (numerous fatty acids and amino acids) |
| | 2583 | Trace Elements in Indoor Dust (Nominal 90 mg/kg Lead) | 8 g | 5 elements certified |
| | 2584 | Trace Elements in Indoor Dust (Nominal 1% Lead) | 8 g | 5 elements certified |
| | 2586 | Trace Flaments in Cail (Naminal F00 mg/kg Load) | FO ~ | 10 reference values 4 elements certified |
| | 2300 | Trace Elements in Soil (Nominal 500 mg/kg Lead) | 50 g | 18 reference values |
| | 2587 | Trace Elements in Soil (Nominal 3000 mg/kg Lead) | 50 g | 4 elements certified |
| | 2307 | Trace Elements in Soil (Norminal Sout Hig/kg Lead) | 50 g | 14 reference values |
| | 2702 | Inorganics in Marine Sediment | 50 g | 25 elements certified |
| | 2102 | morganics in Manne Gedinient | 30 g | 8 reference values |
| | 2703 | Sediment for Solid Sampling (Small Sample) Analytical Techniques | 5 g | 22 elements certified |
| | 2700 | Countries of Solid Sumpling (Small Sumple) / that your resimiques | 5 g | 7 reference values |
| | | | | 9 information values |
| | 2704a | Buffalo River Sediment | 50 g | Discontinued |
| | _, | | 30 g | (NOTE: See RM 8704) |
| | 2709 | San Joaquin Soil | 50 g | 26 elements certified |
| | 2710 | Montana Soil Highly Elevated Trace | 50 g | 21 elements certified |
| | | Element Concentrations | J | |
| | 2711 | Montana Soil Moderately Elevated Trace | 50 g | 24 elements certified |
| | | Element Concentrations | 3 | |
| | 2780 | Hard Rock Mine Waste | 50 g | 12 elements certified |
| | | | _ | 7 reference values |
| | 2781 | Domestic Sludge | 40 g | 10 elements certified |
| | 2782 | Industrial Sludge | 70 g | 10 elements certified |
| | | | | 16 reference values |
| | 2783 | Air Particulate on Filter Media | 2 loaded filters & 2 blanks | 18 elements certified |
| | | | | 9 reference values |
| | 2976 | Mussel Tissue (Trace Elements & Methylmercury) Freeze-Dried | 25 g | 8 elements certified |
| | | | | 20 reference values |
| | 8704 | Buffalo River Sediment | 50 g | 25 reference values |
| | 8785 | Air Particulate Matter on Filter Media | 3 loaded filters | |
| RM | 8786 | Filter Blank for RM 8785 | 1blank filter | |
| | | | | |